

Written Examination

Examination

Mathematical Foundations for Software Engineering

Course code DIT022

<i>Date:</i>	2017-10-24
<i>Time:</i>	14:00-18:00
<i>Place:</i>	Lindholmen
<i>Teacher:</i>	Christian Berger Michel Chaudron Richard Torkar
<i>Visit to exam hall:</i>	14:30, 16:30
<i>Questions:</i>	6
<i>Results:</i>	Will be posted by 2017-11-10.
<i>Grade Limits:</i>	Pass (G) 50%, Pass with honors (VG) 90%
<i>Allowed aids:</i>	Calculators: Casio FX-82..., Texas TI-30... and Sharp EL-W531... Attached appendix with formulas and tables.

Please observe the following:

- Write your complete name on every sheet!
- Write in legible English (unreadable responses means no points!).
- Motivate your answers, and clearly state any assumptions made.
- Start each task on a new sheet!
- Write only on one side of the paper!
- Before handing in your exam, number and sort the sheets in task order!

NOTE:

Not following these instructions may result in the deduction of points!

Written Examination

Question 1 (1 + 1 + 1 + 1 + 2 + 4 = 10 pt)

“Languages”

1.1 What language is generated by the given grammar G1? (1pt)

Note, that we are not asking for partially correct solution(s) but for the fully correct one(s). Also, choosing multiple solutions, when only one is correct will not be assessed as correct. Mark clearly the correct solution.

$G_1 = (V, T, S, P)$ and $V = \{S, X\}$, where S is the start variable, $T = \{0,1\}$ set of terminals and rules:

$S \rightarrow X1X1X1X$

$X \rightarrow 0X \mid 1X \mid \epsilon$

- a) $\{w \in \{0,1\}^* \mid w \text{ contains 0s followed by 1s}\}$
- b) $\{w \in \{0,1\}^* \mid w \text{ contains 1s and 0s}\}$
- c) $\{w \in \{0,1\}^* \mid w \text{ contains at least three 1s}\}$
- d) $\{w \in \{0,1\}^* \mid w \text{ contains three 1s in a row}\}$
- e) $\{w \in \{0,1\}^* \mid w \text{ contains three 1s separated by 0s}\}$

1.2 What language is generated by the given grammar G2? (1pt)

Note, that we are not asking for partially correct solution(s) but for the fully correct one(s). Also, choosing multiple solutions, when only one is correct will not be assessed as correct. Mark clearly the correct solution.

$G_2 = (V, T, S, P)$ and $V = \{S\}$, where S is the start variable, $T = \{0,1\}$ set of terminals and rules:

$S \rightarrow 0S0 \mid 0S1 \mid 1S0 \mid 1S1 \mid 0$

- a) $\{w \in \{0,1\}^* \mid w \text{ is a random series of 1s and 0s}\}$
- b) $\{w \in \{0,1\}^* \mid \text{the length of } w \text{ is even and the middle symbol is 1}\}$
- c) $\{w \in \{0,1\}^* \mid w \text{ contains two 0s in a row}\}$
- d) $\{w \in \{0,1\}^* \mid w \text{ ends with a 0}\}$
- e) $\{w \in \{0,1\}^* \mid \text{the length of } w \text{ is odd and the middle symbol is 0}\}$

Written Examination

1.3 What language is generated by the given grammar G3? (1pt)

Note, that we are not asking for partially correct solution(s) but for the fully correct one(s). Also, choosing multiple solutions, when only one is correct will not be assessed as correct. Mark clearly the correct solution.

$G_3 = (V, T, S, P)$ and $V = \{S, W, X, Y, Z\}$, where S is the start variable, $T = \{a, b, c\}$ set of terminals and rules:

$S \rightarrow XY|W$

$X \rightarrow aXb|\epsilon$

$Y \rightarrow cY|\epsilon$

$W \rightarrow aWc|Z$

$Z \rightarrow bZ|\epsilon$

- a) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i = j \text{ and } i = k\}$
- b) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i = j \text{ or } i = k\}$
- c) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i + j = i + k\}$
- d) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i < j \text{ and } i > k\}$
- e) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i < j \text{ or } i > k\}$

1.4 What language is generated by the given grammar G4? (1pt)

Note, that we are not asking for partially correct solution(s) but for the fully correct one(s). Also, choosing multiple solutions, when only one is correct will not be assessed as correct. Mark clearly the correct solution.

$G_4 = (V, T, S, P)$ and $V = \{S, X\}$, where S is the start variable, $T = \{a, b, c\}$ set of terminals and rules:

$S \rightarrow aSc|X$

$X \rightarrow bXc|\lambda$

- a) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i = j \text{ and } i = k\}$
- b) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i + j = i + k\}$
- c) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i - j = k \text{ or } i > k\}$
- d) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i - j = k\}$
- e) $\{a^i b^j c^k \mid \text{where } i, j, k \geq 0 \text{ and } i + j = k\}$

Written Examination

1.5 Provide two different non-empty words that are generated by the given grammar G5.
(2pt)

$G_5 = (V, T, S, P)$ and $V = \{expr, term, factor, const\}$, where $expr$ is the start variable, $T = \{\text{set of all integers}\}$ set of terminals and rules:

$$\begin{aligned} expr &\rightarrow term + expr \\ expr &\rightarrow term \\ term &\rightarrow term * factor \\ term &\rightarrow factor \\ factor &\rightarrow (expr) \\ factor &\rightarrow const \\ const &\rightarrow integer \\ integer &\rightarrow digit \mid integer\ digit \\ digit &\rightarrow 0 \mid 1 \mid 2 \mid \dots \mid 9 \end{aligned}$$

1.6 What production rules need to be added to grammar G6 so that the following language is created? (4pt)

G_6 = Grammar that generates all identifiers in the C programming language. In C an identifier starts with a letter or an underscore ($_$) that is followed by one or more lowercase letters, uppercase letters, underscores, and digits.

Hint: The set of terminal symbols is therefore $T = \{\text{all uppercase letters, all lowercase letters, underscore, all digits}\}$. Do not forget to define the production rules determining the terminals.

Given:

$$\begin{aligned} \langle identifier \rangle &::= \langle letter_or_underscore \rangle \mid \langle identifier \rangle \langle symbol \rangle \\ \langle letter_or_underscore \rangle &::= \langle letter \rangle \mid _ \\ \langle symbol \rangle &::= \langle letter_or_underscore \rangle \mid \langle digit \rangle \end{aligned}$$

Written Examination

Question 2 (1 + 1 + 1 + 4 + 13 = 20 pt)

“Automata”

2.1 What does automaton A1 do? (1pt)

Note, that we are not asking for partially correct solution(s) but for the fully correct one(s). Also, choosing multiple solutions, when only one is correct will not be assessed as correct. Mark clearly the correct solution.





Figure 1: A1

- a) The language recognized by A1 is the set of all strings that end with ‘11’.
- b) The language recognized by A1 is the set of all strings that end with ‘10’.
- c) The language recognized by A1 is the set of all strings that contain ‘11’ as a substring.
- d) The language recognized by A1 is the set of all strings that contain an even number of 1s.
- e) The language recognized by A1 is the set of all strings that contain an even number of 0s.

Written Examination

2.2 What does automaton A2 do? (1pt)

Note, that we are not asking for partially correct solution(s) but for the fully correct one(s). Also, choosing multiple solutions, when only one is correct will not be assessed as correct. Mark clearly the correct solution.



v = Valid ID	a = "Enter user ID"
i = Invalid ID	b = "Enter password"
p = Valid password	c = Prompt
q = Invalid password	x = Any input

Figure 2: A2

- It represents the log-on procedure for a computer, where the user logs on by entering a user identification number, which is considered to be a single input, and then a password, which is considered to be a single input. If the password is incorrect, the procedure ends.
- It represents the log-on procedure for a computer, where the user logs on by entering a user identification number, which is considered to be a single input, and then a password, which is considered to be a single input. If the password is correct or incorrect, the procedure remains in state s3.
- It represents the log-on procedure for a computer, where the user logs on by entering a user identification number, which is considered to be a single input, and then a password, which is considered to be a single input. If the user ID is incorrect, the user has to re-enter the user ID, no matter what password was. However, if the user ID is correct and the password is incorrect, the user is asked for the user identification number again.
- It represents the log-on procedure for a computer, where the user logs on by entering a user identification number, which is considered to be a single input, and then a password, which is considered to be a single input. If the user identification number is incorrect, the procedure stops.
- It represents the log-on procedure for a computer, where the user logs on by entering a user identification number, which is considered to be a single input, and then a password, which is considered to be a single input. If both the user identification number and the password are incorrect, the procedure stops.

Written Examination

2.3 What does automaton A3 do? (1pt)

Note, that we are not asking for partially correct solution(s) but for the fully correct one(s). Also, choosing multiple solutions, when only one is correct will not be assessed as correct. Mark clearly the correct solution.




Figure 3: A3

- It represents a soda machine that accepts nickels (5 cents), dimes (10 cents), and quarters (25 cents). The soda machine accepts change until 35 cents has been put in. It gives change back for any amount greater than 35 cents. Then the customer can push buttons to receive either a cola, a root beer, or a ginger ale.
- It represents a soda machine that accepts nickels (5) and quarters (25). The soda machine accepts change until 35 cents has been put in. It gives change back for any amount greater than 35 cents. Then the customer can push buttons to receive either a cola, a root beer, or a ginger ale.
- It represents a soda machine that accepts nickels (5), dimes (10) and quarters (25). The soda machine accepts change until 35 cents has been put in. It does not return any change. After 35 cents have been deposited, the customer can push buttons to receive either a cola, a root beer, or a ginger ale.
- It represents a soda machine that accepts nickels (5) and dimes (10). The soda machine accepts change until 35 cents has been put in. It gives change back for any amount greater than 35 cents. Then the customer can push buttons to receive either a cola, a root beer, or a ginger ale.
- It represents a soda machine that accepts nickels (5) and dimes (10). The soda machine accepts change until 35 cents has been put in. It gives change back for any amount greater than 35 cents. Then the customer can push buttons to receive either a cola, a root beer, or a fanta.

Written Examination

2.4 Add missing elements (states, transitions, or labels) or remove incorrect elements (states, transitions, or labels) in the deterministic finite-state automaton A4 so that it recognizes the set of all bit strings that begin and end with 11. (4pt)




Figure 4: A4, given.

Written Examination

2.5 Draw a finite-state machine that recognizes the set: $(01 \cup 111)^*10^*(0 \cup 1)$ (13 pt)

Note that unreadable drawings will be awarded with 0 points.

Written Examination

Question 3 (8 + 1 + 1 + 12 = 22 pt)

“Logic”

3.1 Provide the complete truth table for the given compound preposition? (8pt)

Note that the symbol \oplus denotes the logical XOR operator.

$$(p \leftrightarrow q) \oplus (\neg p \leftrightarrow \neg r)$$

Written Examination

3.2 Express the given statement using predicates and quantifiers. (1pt)

Note, that we are not asking for partially correct solution(s) but for the fully correct one(s). Also, choosing multiple solutions, when only one is correct will not be assessed as correct. Mark clearly the correct solution.

“A student must take at least 60 course hours, or at least 45 course hours and write a master’s thesis, and receive a grade no lower than a B in all required courses, to receive a master’s degree.”

- a) $M \oplus ((H(60) \vee (H(45) \vee T)) \wedge \exists y G(B, y))$, where M is the proposition “The student received a masters degree,” H(x) is “The student took at least x course hours,” T is the proposition “The student wrote a thesis,” and G(x, y) is “The person got grade x or higher in course y”
- b) $M \rightarrow ((H(60) \wedge (H(45) \vee T)) \wedge \exists y G(B, y))$, where M is the proposition “The student received a masters degree,” H(x) is “The student took at least x course hours,” T is the proposition “The student wrote a thesis,” and G(x, y) is “The person got grade x or higher in course y”
- c) $M \wedge ((H(60) \wedge (H(45) \vee T)) \wedge \exists y G(B, y))$, where M is the proposition “The student received a masters degree,” H(x) is “The student took at least x course hours,” T is the proposition “The student wrote a thesis,” and G(x, y) is “The person got grade x or higher in course y”
- d) $M \rightarrow ((H(60) \vee (H(45) \wedge T)) \wedge \forall y G(B, y))$, where M is the proposition “The student received a masters degree,” H(x) is “The student took at least x course hours,” T is the proposition “The student wrote a thesis,” and G(x, y) is “The person got grade x or higher in course y”
- e) $M \rightarrow (H(60) \wedge ((H(45) \wedge T) \wedge \forall y G(B, y)))$, where M is the proposition “The student received a masters degree,” H(x) is “The student took at least x course hours,” T is the proposition “The student wrote a thesis,” and G(x, y) is “The person got grade x or higher in course y”

Written Examination

3.3 Express the given statement using predicates and quantifiers. (1pt)

Note, that we are not asking for partially correct solution(s) but for the fully correct one(s). Also, choosing multiple solutions, when only one is correct will not be assessed as correct. Mark clearly the correct solution.

“Each participant on the conference call whom the host of the call did not put on a special list was billed.”

- a) $\forall x(\neg L(x) \rightarrow B(x))$, where $L(x)$ is “The host of the conference call put participant x on a special list” and $B(x)$ is “Participant x was billed”
- b) $\exists x(L(x) \rightarrow \neg B(x))$, where $L(x)$ is “The host of the conference call put participant x on a special list” and $B(x)$ is “Participant x was billed”
- c) $\forall x(L(x) \rightarrow \neg B(x))$, where $L(x)$ is “The host of the conference call put participant x on a special list” and $B(x)$ is “Participant x was billed”
- d) $\exists x(\neg L(x) \rightarrow B(x))$, where $L(x)$ is “The host of the conference call put participant x on a special list” and $B(x)$ is “Participant x was billed”
- e) $\forall x(\neg L(x) \rightarrow B(x))$, where $L(x)$ is “The host of the conference call put participant x on a special list” and $B(x)$ is “Participant x was not billed”

Written Examination

3.4 Look at the following compound proposition and answer the questions below. (12pt)

$$\text{Proposition} = ((p \rightarrow q) \vee (r \rightarrow s)) \leftrightarrow ((p \vee r) \rightarrow (\neg q \vee s))$$

- i) What is a tautology? (1pt)
- ii) Why is the given compound proposition not a tautology? (7pt)
- iii) Turn the given compound proposition into a tautology by making changes to the compound proposition (for example, changing an \wedge to \vee , but not removing individual propositions p , q , r , and s). (4pt)

Written Examination

Question 4 (4 + 6 + 5 = 15 pt)

“Proofs”

4.1 Prove that $s = 1 + 2 + 3 + 4 + \dots + n = (1/2) * n * (n+1)$ (Gaussian formula). (4pt)

4.2 Prove that for any real number $x > -1$ and any positive integer $n > 0$, $(1 + x)^n \geq 1 + nx$. (6pt)

4.3 Prove that each odd square results in the remainder 1 when divided by 8. (5pt)

Written Examination

Question 5 (1 + 1 + 6 = 8 pt)

“Complexity”

5.1 What is the complexity of the following code snippet (in terms of Big-O notation)? (1pt)

```
function(int n){
    for(int i=1 ; i<=n ; i++){
        for(int j=1 ; j<=n ; j++){
            for(int k=3 ; j<=n ; k++){
                System.out.println("*");
            }
        }
    }
}
```

5.2 What is the complexity of the following code snippet (in terms of Big-O notation)? (1pt)

```
for(int i =0 ; i < =n ; i++){
    for(int j =1; j<= i * i; j++){
        if (j % i == 0){
            for(int k = 0; k<j; k++){
                sum++;
            }
        }
    }
}
```

5.3 Look at the array below and consider how the array changes at each step of going through a selection-sort program, where the values of the array are being sorted in an increasing order (i.e. 1 2 3). Write down the state of the array BEFORE and AFTER for each loop iteration of the program. What does the array look like after 3 iterations of selection-sort? (6pt)

Note that “after 3 iterations” means, when $i=2$, before entering the for loop and increasing i to 4. Assume that i begins with 0.

Array: 2 3 -5 4 3 -1 13

Written Examination

Question 6 (8 + 5 + 12 = 25 pt)
“Statistics”

6.1 Perform **calculations and find** the linear regression $Y = \alpha + \beta x$ for the following data:

X	Y
60	3.1
61	3.6
62	3.8
63	4.0
65	4.1

In addition, **report** the standard error of the estimate! (8pt)

Written Examination

6.2 Suppose there is a blood test that correctly detects vampirism 95% of the time. This implies $\Pr(\text{positive}|\text{vampire})=0.95$. It's a very accurate test. It does make mistakes, though, in the form of false positives. One percent of the time, it incorrectly diagnoses normal people as vampires, implying $\Pr(\text{positive}|\text{mortal})=0.01$. (5pt)

The final bit of information we are told is that vampires are rather rare, being only 0.1% of the population, implying $\Pr(\text{vampire})=0.001$. Suppose now that someone tests positive for vampirism. What's the probability that he or she is a bloodsucking immortal?

Use Bayes' theorem to invert the probability, i.e., to compute $\Pr(\text{vampire}|\text{positive})$:

$$P(A|B) = \frac{P(B|A)P(A)}{P(B)}$$

or for the vampire world:

$$\Pr(\text{vampire}|\text{positive}) = \frac{\Pr(\text{positive}|\text{vampire})\Pr(\text{vampire})}{\Pr(\text{positive})}$$

Written Examination

6.3 Suppose the Swedish Transportation Safety Board (STSB) wants to examine the safety of compact cars, midsize cars, and full-size cars. It collects a sample of three for each of the treatments (cars types). Using the hypothetical data provided below, test whether the mean pressure applied to the driver's head during a crash test is equal for each types of car. Use $\alpha = 5\%$. (12 points)

	Compact cars	Midsize cars	Full-size cars
	643	469	484
	655	427	456
	702	525	402
\bar{X}	666.67	473.67	447.33
S	31.18	49.17	41.68

- i) State the null and alternative hypothesis. (2pt)
- ii) Calculate the appropriate test statistic. (6pt)
- iii) Find the critical value. (1pt)
- iv) What is the decision rule? (1pt)
- v) What is your interpretation of the findings? (2pt)

Refsheet DIT022

Professor Richard Torkar

October 2017

ANOVA

Source	<i>df</i>	<i>SS</i>	<i>MS</i>	<i>F</i>
Between	$k - 1$	$SSB = \sum_{j=1}^k n_j (\bar{x}_j - \bar{x}_t)^2$	$MSB = \frac{SSB}{k-1}$	$F = \frac{MSB}{MSW}$
Within	$n - k$	$SSW = \sum_{j=1}^k \sum_{i=1}^n (x_{ij} - \bar{x}_j)^2$	$MSW = \frac{SSW}{n-k}$	
Total	$n - 1$	$SST = \sum_{j=1}^k \sum_{i=1}^n (x_{ij} - \bar{x}_t)^2$		

With k number of groups, n number of samples and df degrees of freedom.

Linear regression

Deduce s from,

$$\sigma^2 = \frac{\sum (x - \mu)^2}{n} \quad (1)$$

in order to calculate s_x and s_y .

$$r = \frac{\sum xy}{\sqrt{\sum x^2 \sum y^2}} \quad (2)$$

$$\beta^* = r \times s_y / s_x \quad (3)$$


$$\alpha^* = \bar{y} - \beta^* \bar{x} \quad (4)$$

$$\epsilon = \sqrt{\frac{\sum (y - \hat{y})^2}{N}} \quad (5)$$

TABLE A.1

Cumulative Standardized Normal Distribution

$A(z)$ is the integral of the standardized normal distribution from $-\infty$ to z (in other words, the area under the curve to the left of z). It gives the probability of a normal random variable not being more than z standard deviations above its mean. Values of z of particular importance:



z	$A(z)$
1.645	0.9500
1.960	0.9750
2.326	0.9900
2.576	0.9950
3.090	0.9990
3.291	0.9995

STATISTICAL TABLES

Cumulative normal distribution

Critical values of the t distribution

Critical values of the F distribution

Critical values of the chi-squared distribution

0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998

TABLE A.2

t Distribution: Critical Values of t

Degrees of freedom	Two-tailed test:		Significance level				
	5%	10%	1%	0.5%	0.2%	0.1%	
1	6.314	12.706	31.821	63.657	318.309	636.619	
2	2.920	4.303	6.965	9.925	31.599	63.696	
3	2.353	3.182	4.541	5.841	10.215	12.924	
4	2.132	2.776	3.747	4.604	7.173	8.610	
5	2.015	2.571	3.365	4.032	5.893	6.869	
6	1.943	2.447	3.143	3.707	5.208	5.959	
7	1.894	2.365	2.998	3.548	4.785	5.408	
8	1.860	2.306	2.896	3.355	4.501	5.041	
9	1.833	2.262	2.821	3.250	4.297	4.781	
10	1.812	2.228	2.764	3.169	4.144	4.587	
11	1.796	2.201	2.718	3.106	4.025	4.437	
12	1.782	2.179	2.681	3.055	3.930	4.318	
13	1.771	2.160	2.650	3.012	3.852	4.221	
14	1.761	2.145	2.624	2.977	3.787	4.140	
15	1.753	2.131	2.602	2.947	3.733	4.073	
16	1.746	2.120	2.583	2.921	3.686	4.015	
17	1.740	2.110	2.567	2.898	3.646	3.965	
18	1.734	2.101	2.552	2.878	3.610	3.922	
19	1.729	2.093	2.539	2.861	3.579	3.883	
20	1.725	2.086	2.528	2.845	3.552	3.850	
21	1.721	2.080	2.518	2.831	3.527	3.819	
22	1.717	2.074	2.508	2.819	3.505	3.792	
23	1.714	2.069	2.500	2.807	3.485	3.768	
24	1.711	2.064	2.492	2.797	3.467	3.745	
25	1.708	2.060	2.485	2.787	3.450	3.725	
26	1.706	2.056	2.479	2.779	3.435	3.707	
27	1.703	2.052	2.473	2.771	3.421	3.690	
28	1.701	2.048	2.467	2.763	3.408	3.674	
29	1.699	2.045	2.462	2.756	3.396	3.659	
30	1.697	2.042	2.457	2.750	3.385	3.646	
32	1.694	2.037	2.449	2.738	3.365	3.622	
34	1.691	2.032	2.441	2.728	3.348	3.601	
36	1.688	2.028	2.434	2.719	3.333	3.582	
38	1.686	2.024	2.429	2.712	3.319	3.566	
40	1.684	2.021	2.423	2.704	3.307	3.551	
42	1.682	2.018	2.418	2.698	3.296	3.538	
44	1.680	2.015	2.414	2.692	3.286	3.526	
46	1.679	2.013	2.410	2.687	3.277	3.515	
48	1.677	2.011	2.407	2.682	3.269	3.505	
50	1.676	2.009	2.403	2.678	3.261	3.496	
60	1.671	2.000	2.390	2.660	3.232	3.463	
70	1.667	1.994	2.381	2.648	3.211	3.435	
80	1.664	1.990	2.374	2.639	3.195	3.416	
90	1.662	1.987	2.368	2.632	3.183	3.402	
100	1.660	1.984	2.364	2.626	3.174	3.390	
120	1.658	1.980	2.358	2.617	3.160	3.373	
150	1.655	1.976	2.351	2.609	3.145	3.357	
200	1.653	1.972	2.345	2.601	3.131	3.340	
300	1.650	1.968	2.339	2.592	3.118	3.323	
400	1.649	1.966	2.336	2.588	3.111	3.313	
500	1.648	1.965	2.334	2.586	3.107	3.310	
600	1.647	1.964	2.333	2.584	3.104	3.307	
∞	1.645	1.960	2.326	2.576	3.090	3.291	

TABLE A.3

F Distribution: Critical Values of F (5% significance level)

v ₁	v ₂																			
	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20					
1	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54	241.88	243.91	245.36	246.46	247.32	248.01					
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.42	19.43	19.44	19.45					
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.71	8.69	8.67	8.66					
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.87	5.84	5.82	5.80					
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.64	4.60	4.58	4.56					
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.96	3.92	3.90	3.87					
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.53	3.49	3.47	3.44					
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.24	3.20	3.17	3.15					
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.03	2.99	2.96	2.94					
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.86	2.83	2.80	2.78					
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.74	2.70	2.67	2.65					
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.64	2.60	2.57	2.54					
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.66	2.60	2.55	2.51	2.48	2.46					
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.48	2.44	2.41	2.39					
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.42	2.38	2.35	2.33					
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.37	2.33	2.30	2.28					
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.33	2.29	2.26	2.23					
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.29	2.25	2.22	2.19					
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.26	2.21	2.18	2.16					
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.22	2.18	2.15	2.12					
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.20	2.16	2.12	2.10					
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.17	2.13	2.10	2.07					
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.15	2.11	2.08	2.05					
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.13	2.09	2.05	2.03					
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.11	2.07	2.04	2.01					
26	4.22	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.09	2.05	2.02	1.99					
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.08	2.04	2.00	1.97					
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.06	2.02	1.99	1.96					
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.05	2.01	1.97	1.94					
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.04	1.99	1.96	1.93					
35	4.12	3.27	2.87	2.64	2.49	2.37	2.29	2.22	2.16	2.11	2.04	1.99	1.94	1.91	1.88					
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.95	1.90	1.87	1.84					
50	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	2.03	1.95	1.89	1.85	1.81	1.78					
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.86	1.82	1.78	1.75					
70	3.98	3.13	2.74	2.50	2.35	2.23	2.14	2.07	2.02	1.97	1.89	1.84	1.79	1.75	1.72					
80	3.96	3.11	2.72	2.49	2.33	2.21	2.13	2.06	2.00	1.95	1.88	1.82	1.77	1.73	1.70					
90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.86	1.80	1.75	1.72	1.69					
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.85	1.79	1.75	1.71	1.68					
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.78	1.73	1.69	1.66					
150	3.90	3.06	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.82	1.76	1.71	1.67	1.64					
200	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.80	1.74	1.69	1.65	1.62					
250	3.88	3.03	2.64	2.41	2.25	2.13	2.05	1.98	1.92	1.87	1.79	1.73	1.68	1.64	1.61					
300	3.87	3.03	2.63	2.40	2.24	2.12	2.04	1.96	1.91	1.86	1.78	1.72	1.68	1.64	1.61					
400	3.86	3.02	2.63	2.39	2.22	2.11	2.03	1.96	1.90	1.85	1.77	1.71	1.66	1.62	1.59					
500	3.86	3.01	2.62	2.39	2.23	2.12	2.03	1.96	1.90	1.85	1.77	1.71	1.66	1.62	1.59					
600	3.86	3.01	2.62	2.39	2.23	2.11	2.02	1.95	1.90	1.85	1.77	1.71	1.66	1.62	1.59					
750	3.85	3.01	2.62	2.38	2.22	2.11	2.02	1.95	1.89	1.84	1.77	1.71	1.66	1.62	1.58					
1000	3.85	3.00	2.61	2.38	2.22	2.11	2.02	1.95	1.89	1.84	1.76	1.70	1.65	1.61	1.58					

Table A.3 (continued)

F Distribution: Critical Values of F (5% significance level)

ν_1	25	30	35	40	50	60	75	100	150	200
ν_2	1	2.49	2.6	2.50	2.51	2.51	2.52	2.52	2.53	2.53
	2	19.46	19.46	19.47	19.47	19.48	19.48	19.48	19.49	19.49
	3	8.63	8.62	8.60	8.59	8.58	8.57	8.56	8.55	8.54
	4	5.77	5.75	5.73	5.72	5.70	5.69	5.68	5.66	5.65
	5	4.52	4.50	4.48	4.46	4.44	4.43	4.42	4.41	4.39
	6	3.83	3.81	3.79	3.77	3.75	3.74	3.73	3.71	3.69
	7	3.40	3.38	3.36	3.34	3.32	3.30	3.29	3.27	3.26
	8	3.11	3.08	3.06	3.04	3.02	3.01	2.99	2.97	2.96
	9	2.89	2.86	2.84	2.83	2.80	2.79	2.77	2.76	2.74
	10	2.73	2.70	2.68	2.66	2.64	2.62	2.60	2.59	2.57
	11	2.60	2.57	2.55	2.53	2.51	2.49	2.47	2.46	2.44
	12	2.50	2.47	2.44	2.43	2.40	2.38	2.37	2.35	2.33
	13	2.41	2.38	2.36	2.34	2.31	2.30	2.28	2.26	2.23
	14	2.34	2.31	2.28	2.27	2.24	2.22	2.21	2.19	2.16
	15	2.28	2.25	2.22	2.20	2.18	2.16	2.14	2.12	2.10
	16	2.23	2.19	2.17	2.15	2.12	2.11	2.09	2.07	2.05
	17	2.18	2.15	2.12	2.10	2.08	2.06	2.04	2.02	2.00
	18	2.14	2.11	2.08	2.06	2.04	2.02	2.00	1.98	1.96
	19	2.11	2.07	2.05	2.03	2.00	1.98	1.96	1.94	1.92
	20	2.07	2.04	2.01	1.99	1.97	1.95	1.93	1.91	1.88
	21	2.05	2.01	1.98	1.96	1.94	1.92	1.90	1.88	1.86
	22	2.02	1.98	1.96	1.94	1.91	1.89	1.87	1.85	1.82
	23	2.00	1.96	1.93	1.91	1.88	1.86	1.84	1.82	1.79
	24	1.97	1.94	1.91	1.89	1.86	1.84	1.82	1.80	1.77
	25	1.96	1.92	1.89	1.87	1.84	1.82	1.80	1.78	1.75
	26	1.94	1.90	1.87	1.85	1.82	1.80	1.78	1.76	1.74
	27	1.92	1.88	1.86	1.84	1.81	1.79	1.76	1.74	1.71
	28	1.91	1.87	1.84	1.82	1.79	1.77	1.75	1.73	1.70
	29	1.89	1.85	1.83	1.81	1.77	1.75	1.73	1.71	1.69
	30	1.88	1.84	1.81	1.79	1.76	1.74	1.72	1.70	1.67
	35	1.82	1.79	1.76	1.74	1.70	1.68	1.66	1.63	1.61
	40	1.78	1.74	1.72	1.69	1.66	1.64	1.61	1.59	1.56
	50	1.73	1.69	1.66	1.63	1.58	1.55	1.52	1.50	1.48
	60	1.69	1.65	1.62	1.59	1.56	1.53	1.51	1.48	1.45
	70	1.66	1.62	1.59	1.57	1.53	1.50	1.48	1.45	1.42
	80	1.64	1.60	1.57	1.54	1.51	1.48	1.45	1.43	1.39
	90	1.63	1.59	1.55	1.53	1.49	1.46	1.44	1.41	1.38
	100	1.62	1.57	1.54	1.52	1.48	1.45	1.42	1.39	1.36
	120	1.60	1.55	1.52	1.50	1.46	1.43	1.40	1.37	1.33
	150	1.58	1.54	1.50	1.48	1.44	1.41	1.38	1.35	1.29
	200	1.56	1.52	1.48	1.46	1.41	1.39	1.35	1.32	1.28
	250	1.55	1.50	1.47	1.44	1.40	1.37	1.34	1.31	1.27
	300	1.54	1.50	1.46	1.43	1.39	1.36	1.33	1.28	1.23
	400	1.53	1.49	1.45	1.42	1.38	1.35	1.32	1.28	1.22
	500	1.53	1.48	1.45	1.42	1.38	1.35	1.31	1.28	1.21
	600	1.52	1.48	1.44	1.41	1.37	1.34	1.31	1.27	1.20
	750	1.52	1.47	1.44	1.41	1.37	1.34	1.30	1.26	1.22
	1000	1.52	1.47	1.43	1.41	1.36	1.33	1.30	1.26	1.19

Table A.3 (continued)

F Distribution: Critical Values of F (1% significance level)

ν_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
ν_2	1	4022.18	4099.50	5403.35	5624.38	5763.65	5888.99	5928.36	5981.07	6022.47	6055.85	6106.32	6142.67	6170.10	6191.53
	2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.44	99.44
	3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.92	26.83	26.75
	4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.37	14.25	14.15	14.08
	5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.77	9.68	9.61
	6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.60	7.52	7.40
	7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.36	6.28	6.21
	8	11.34	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.56	5.48	5.41
	9	10.56	8.02	6.99	6.42	6.04	5.80	5.61	5.47	5.35	5.26	5.11	5.01	4.92	4.86
	10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.60	4.52	4.46
	11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.29	4.21	4.15
	12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.05	3.97	3.91
	13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.86	3.78	3.72
	14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.70	3.62	3.56
	15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.56	3.49	3.42
	16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.45	3.37	3.31
	17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.35	3.27	3.21
	18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.27	3.19	3.13
	19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.19	3.12	3.05
	20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.13	3.05	2.99
	21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.07	2.99	2.93
	22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	3.02	2.94	2.88
	23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.97	2.89	2.83
	24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.93	2.85	2.79
	25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.89	2.81	2.75
	26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.86	2.78	2.72
	27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.83	2.75	2.68
	28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.79	2.72	2.65
	29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.77	2.69	2.63
	30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.74	2.66	2.59
	35	7.42	5.27	4.40	3.91	3.59	3.37	3.20	3.07	2.96	2.88	2.74	2.64	2.56	2.50
	40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.56	2.48	2.42
	50	7.17	5.06	4.20	3.72	3.41	3.19	3.02	2.89	2.78	2.70	2.56	2.46	2.38	2.32
	60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.39	2.31	2.25
	70	7.01	4.92	4.07	3.60	3.29	3.07	2.91	2.78	2.67	2.59	2.45	2.35	2.27	2.20
	80	6.96	4.88	4.04	3.56	3.26	3.04	2.87	2.74	2.64	2.55	2.42	2.31	2.23	2.17
	90	6.93	4.85	4.01	3.53	3.23	3.01	2.84	2.72	2.61	2.52	2.39	2.29	2.21	2.14
	100	6.90	4.82	3.98	3.51	3.21	2.99	2.82	2.69	2.59	2.50	2.37	2.27	2.19	2.12
	120	6.88	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.23	2.15	2.09
	150	6.81	4.75	3.91	3.45	3									

Table A.3 (continued)

F Distribution: Critical Values of F (1% significance level)

ν_1	25	30	35	40	50	60	75	100	150	200
1	6239.83	6260.65	6275.57	6286.78	6302.52	6313.03	6323.56	6334.11	6344.68	6349.97
2	99.46	99.47	99.47	99.48	99.48	99.49	99.49	99.49	99.49	99.49
3	26.58	26.50	26.45	26.41	26.35	26.32	26.28	26.24	26.20	26.18
4	13.91	13.84	13.79	13.75	13.69	13.65	13.61	13.58	13.54	13.52
5	9.45	9.38	9.33	9.29	9.24	9.20	9.17	9.13	9.09	9.08
6	7.30	7.23	7.18	7.14	7.09	7.06	7.02	6.99	6.95	6.93
7	6.06	5.99	5.94	5.91	5.86	5.82	5.79	5.75	5.72	5.70
8	5.26	5.20	5.15	5.12	5.07	5.03	5.00	4.96	4.93	4.91
9	4.71	4.65	4.60	4.57	4.52	4.48	4.45	4.41	4.38	4.36
10	4.31	4.25	4.20	4.17	4.12	4.08	4.05	4.01	3.98	3.96
11	4.01	3.94	3.89	3.86	3.81	3.78	3.74	3.71	3.67	3.66
12	3.76	3.70	3.65	3.62	3.57	3.54	3.50	3.47	3.43	3.41
13	3.57	3.51	3.46	3.43	3.38	3.34	3.31	3.27	3.24	3.22
14	3.41	3.35	3.30	3.27	3.22	3.18	3.15	3.11	3.08	3.06
15	3.28	3.21	3.17	3.13	3.08	3.05	3.01	2.98	2.94	2.92
16	3.16	3.10	3.05	3.02	2.97	2.93	2.90	2.86	2.83	2.81
17	3.07	3.00	2.96	2.92	2.87	2.83	2.80	2.76	2.73	2.71
18	2.98	2.92	2.87	2.84	2.78	2.75	2.71	2.68	2.64	2.62
19	2.91	2.84	2.80	2.76	2.71	2.67	2.64	2.60	2.57	2.55
20	2.84	2.78	2.73	2.69	2.64	2.61	2.57	2.54	2.50	2.48
21	2.79	2.72	2.67	2.64	2.58	2.55	2.51	2.48	2.44	2.42
22	2.73	2.67	2.62	2.58	2.53	2.50	2.46	2.42	2.38	2.36
23	2.69	2.62	2.57	2.54	2.48	2.45	2.41	2.37	2.34	2.32
24	2.64	2.58	2.53	2.49	2.44	2.40	2.37	2.33	2.29	2.27
25	2.60	2.54	2.49	2.45	2.40	2.36	2.33	2.29	2.25	2.23
26	2.57	2.50	2.45	2.42	2.36	2.33	2.29	2.25	2.21	2.19
27	2.54	2.47	2.42	2.38	2.33	2.29	2.26	2.22	2.18	2.16
28	2.51	2.44	2.39	2.35	2.30	2.26	2.23	2.19	2.15	2.13
29	2.48	2.41	2.36	2.33	2.27	2.23	2.20	2.16	2.12	2.10
30	2.45	2.39	2.34	2.30	2.25	2.21	2.17	2.13	2.09	2.07
35	2.35	2.28	2.23	2.19	2.14	2.10	2.06	2.02	1.98	1.96
40	2.27	2.20	2.15	2.11	2.06	2.02	1.98	1.94	1.90	1.87
50	2.17	2.10	2.05	2.01	1.95	1.91	1.87	1.82	1.78	1.76
60	2.10	2.03	1.98	1.94	1.88	1.84	1.79	1.75	1.70	1.68
70	2.05	1.98	1.93	1.89	1.83	1.78	1.74	1.70	1.65	1.62
80	2.01	1.94	1.89	1.85	1.79	1.75	1.70	1.65	1.61	1.58
90	1.99	1.92	1.86	1.82	1.76	1.72	1.67	1.62	1.57	1.55
100	1.97	1.89	1.84	1.80	1.74	1.69	1.65	1.60	1.55	1.52
120	1.93	1.86	1.81	1.76	1.70	1.66	1.61	1.56	1.51	1.48
150	1.90	1.83	1.77	1.73	1.66	1.62	1.57	1.52	1.46	1.43
200	1.87	1.79	1.74	1.69	1.63	1.58	1.53	1.48	1.42	1.39
250	1.85	1.77	1.72	1.67	1.61	1.56	1.51	1.46	1.40	1.36
300	1.84	1.76	1.70	1.66	1.59	1.55	1.50	1.44	1.38	1.35
400	1.82	1.75	1.69	1.64	1.58	1.53	1.48	1.42	1.36	1.32
500	1.81	1.74	1.68	1.63	1.57	1.52	1.47	1.41	1.34	1.31
600	1.80	1.73	1.67	1.63	1.56	1.51	1.46	1.40	1.33	1.30
750	1.80	1.72	1.66	1.62	1.55	1.50	1.44	1.39	1.33	1.29
1000	1.79	1.72	1.66	1.61	1.54	1.50	1.44	1.38	1.32	1.28

Table A.3 (continued)

F Distribution: Critical Values of F (0.1% significance level)

ν_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
1	4050.05	5.00e5	5.40e5	5.60e5	5.70e5	5.80e5	5.90e5	6.02e5	6.10e5	6.16e5	6.19e5	6.21e5	6.23e5	6.24e5	6.25e5
2	99.46	99.47	99.47	99.48	99.48	99.49	99.49	99.49	99.49	99.49	99.49	99.49	99.49	99.49	99.49
3	167.03	148.50	141.11	137.10	134.58	132.85	131.58	130.62	129.86	129.25	128.52	127.64	127.14	126.74	126.42
4	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47	48.05	47.41	46.95	46.60	46.32	46.10
5	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24	26.92	26.42	26.06	25.78	25.57	25.39
6	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69	18.41	17.99	17.68	17.45	17.27	17.12
7	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33	14.08	13.71	13.43	13.23	13.06	12.93
8	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77	11.54	11.19	10.94	10.75	10.60	10.48
9	22.86	16.39	13.99	12.56	11.71	11.13	10.70	10.37	10.11	9.89	9.57	9.34	9.15	9.01	8.90
10	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96	8.75	8.45	8.22	8.05	7.91	7.80
11	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12	7.92	7.63	7.41	7.24	7.11	7.01
12	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48	7.29	7.00	6.79	6.63	6.51	6.40
13	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98	6.80	6.52	6.31	6.16	6.03	5.93
14	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58	6.40	6.13	5.93	5.78	5.66	5.56
15	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26	6.08	5.81	5.62	5.46	5.35	5.25
16	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98	5.81	5.55	5.35	5.20	5.09	4.99
17	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75	5.58	5.32	5.13	4.99	4.87	4.78
18	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	5.39	5.13	4.94	4.80	4.68	4.59
19	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39	5.22	4.97	4.78	4.64	4.52	4.43
20	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24	5.08	4.82	4.64	4.49	4.38	4.29
21	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11	4.95	4.70	4.51	4.37	4.26	4.17
22	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99	4.83	4.58	4.40	4.26	4.15	4.06
23	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89	4.73	4.48	4.30	4.16	4.05	3.96
24	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	4.64	4.39	4.21	4.07	3.96	3.87
25	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.71	4.56	4.31	4.13	3.99	3.88	3.79
26	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64	4.48	4.24	4.06	3.92	3.81	3.72
27	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57	4.41	4.17	3.99	3.86	3.75	3.66
28	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.50	4.35	4.11	3.93	3.80	3.69	3.60
29	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.45	4.29	4.05	3.88	3.74	3.63	3.54
30	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39	4.24	4.00	3.82	3.69	3.58	3.49
35	12.60	8.47	6.79	5.88	5.30	4.89	4.59	4.36	4.18	4.03	3.79	3.62	3.48	3.38	3.29
40	12.91	8.25	6.59	5.70	5.13	4.73	4.44	4.21	4.02	3.87	3.64	3.47	3.34	3.23	3.14
50	12.22	7.96	6.34	5.46	4.90	4.51	4.22	4.00	3.82	3.67	3.44	3.27	3.14	3.04	2.95
60	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69	3.54	3.32	3.15	3.02	2.91	2.83
70	11.80	7.64	6.06	5.20	4.66	4.28	3.99	3.77	3.60	3.45	3.23	3.06	2.93	2.83	2.74
80	11.67	7.54	5.97	5.12	4.58	4.20	3.92	3.70	3.53	3.39	3.16	3.00	2.87	2.76	2.68
90	11.57	7.47	5.91	5.06	4.53	4.15	3.87	3.65	3.48	3.34	3.11	2.95	2.82	2.71	2.63
100	11.50	7.41	5.86	5.02	4.48	4.11	3.83	3.61	3.44	3.30	3.07	2.91	2.78	2.68	2.59
120	11.38	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.38	3.24	3.02	2.85	2.72	2.62	2.53
150	11.27	7.24	5.71	4.88	4.35	3.98	3.71	3.49	3.32	3.18	2.96	2.80	2.67	2.56	2.48
200	11.15	7.15	5.63	4.81	4.29	3.92	3.65	3.43	3.26	3.12	2.90	2.74	2.61	2.51	2.42
250	11.09	7.10	5.59	4.77	4.25	3.88	3.61	3.40	3.23	3.09	2.87	2.71	2.58	2.48	2.39
300	11.04	7.07	5.56	4.75	4.22	3.86	3.59	3.38	3.21	3.07	2.85	2.69	2.56	2.46	2.37
400	10.99	7.03	5.53	4.71	4.19	3.83	3.56	3.35	3.18	3.04	2.82	2.66	2.53	2.43	2.34
500	10.96	7.00	5.51	4.69	4.18	3.8									

Table A.3 (continued)
F Distribution: Critical Values of *F* (0.1% significance level)

<i>v</i> ₁	25	30	35	40	50	60	75	100	150	200
1 ²										
1	6.24605	6.26605	6.28605	6.30605	6.31605	6.31605	6.32405	6.33005	6.33605	6.33605
2	9.99446	9.99447	9.99447	9.99447	9.99448	9.99448	9.99449	9.99449	9.99449	9.99449
3	12.5884	12.5443	12.517	12.496	12.466	12.447	12.427	12.407	12.387	12.377
4	45.70	45.443	45.23	45.09	44.88	44.75	44.61	44.47	44.33	44.26
5	25.08	24.87	24.72	24.60	24.44	24.33	24.22	24.12	24.01	23.95
6	16.85	16.67	16.54	16.44	16.31	16.21	16.12	16.03	15.93	15.89
7	12.69	12.53	12.41	12.33	12.20	12.12	12.04	11.95	11.87	11.82
8	10.26	10.11	10.00	9.92	9.80	9.73	9.65	9.57	9.49	9.45
9	8.69	8.55	8.46	8.37	8.26	8.19	8.11	8.04	7.96	7.93
10	7.60	7.47	7.37	7.30	7.19	7.12	7.05	6.98	6.91	6.87
11	6.81	6.68	6.59	6.52	6.42	6.35	6.28	6.21	6.14	6.10
12	6.22	6.09	6.00	5.93	5.83	5.76	5.70	5.63	5.56	5.52
13	5.75	5.63	5.54	5.47	5.37	5.30	5.24	5.17	5.10	5.07
14	5.38	5.25	5.17	5.10	5.00	4.94	4.87	4.81	4.74	4.71
15	5.07	4.95	4.86	4.80	4.70	4.64	4.57	4.51	4.44	4.41
16	4.82	4.70	4.61	4.54	4.45	4.39	4.32	4.26	4.19	4.16
17	4.60	4.48	4.40	4.33	4.24	4.18	4.11	4.05	3.98	3.95
18	4.42	4.30	4.22	4.15	4.06	4.00	3.93	3.87	3.80	3.77
19	4.26	4.14	4.06	3.99	3.90	3.84	3.78	3.71	3.65	3.61
20	4.12	4.00	3.92	3.86	3.77	3.70	3.64	3.58	3.51	3.48
21	4.00	3.88	3.80	3.74	3.64	3.58	3.52	3.46	3.39	3.36
22	3.89	3.78	3.70	3.63	3.54	3.48	3.41	3.35	3.28	3.25
23	3.79	3.68	3.60	3.53	3.44	3.38	3.32	3.25	3.19	3.16
24	3.71	3.59	3.51	3.45	3.36	3.29	3.23	3.17	3.10	3.07
25	3.63	3.52	3.43	3.37	3.28	3.22	3.15	3.09	3.03	2.99
26	3.56	3.44	3.36	3.30	3.21	3.15	3.08	3.02	2.95	2.92
27	3.49	3.38	3.30	3.23	3.14	3.08	3.02	2.96	2.89	2.86
28	3.43	3.32	3.24	3.18	3.09	3.02	2.96	2.90	2.83	2.80
29	3.38	3.27	3.18	3.12	3.03	2.97	2.91	2.84	2.78	2.74
30	3.33	3.22	3.13	3.07	2.98	2.92	2.86	2.79	2.73	2.69
35	3.13	3.02	2.93	2.87	2.78	2.72	2.66	2.59	2.52	2.49
40	2.98	2.87	2.79	2.73	2.64	2.57	2.51	2.44	2.38	2.34
50	2.79	2.68	2.60	2.53	2.44	2.38	2.31	2.25	2.18	2.14
60	2.67	2.55	2.47	2.41	2.32	2.25	2.19	2.12	2.05	2.01
70	2.58	2.47	2.39	2.32	2.23	2.16	2.10	2.03	1.95	1.92
80	2.52	2.41	2.32	2.26	2.16	2.10	2.03	1.96	1.89	1.85
90	2.47	2.36	2.27	2.21	2.11	2.05	1.98	1.91	1.83	1.79
100	2.43	2.32	2.24	2.17	2.08	2.01	1.94	1.87	1.79	1.75
120	2.37	2.26	2.18	2.11	2.02	1.95	1.88	1.81	1.73	1.68
150	2.32	2.21	2.12	2.06	1.96	1.89	1.82	1.74	1.66	1.62
200	2.26	2.15	2.07	2.00	1.90	1.83	1.76	1.68	1.60	1.55
250	2.23	2.12	2.03	1.97	1.87	1.80	1.72	1.65	1.56	1.51
300	2.21	2.10	2.01	1.94	1.85	1.78	1.70	1.62	1.53	1.48
400	2.18	2.07	1.98	1.92	1.82	1.75	1.67	1.59	1.50	1.45
500	2.17	2.05	1.97	1.90	1.80	1.73	1.65	1.57	1.48	1.43
600	2.16	2.04	1.96	1.89	1.79	1.72	1.64	1.56	1.46	1.41
750	2.15	2.03	1.95	1.88	1.78	1.71	1.63	1.55	1.45	1.40
1000	2.14	2.02	1.94	1.87	1.77	1.69	1.62	1.53	1.44	1.38

Table A.4
 χ^2 (Chi-Squared) Distribution: Critical Values of χ^2

Degrees of Freedom	Significance Level		
	5%	1%	0.1%
1	3.841	6.635	10.828
2	5.991	9.210	13.816
3	7.815	11.345	16.266
4	9.488	13.277	18.467
5	11.070	15.086	20.515
6	12.592	16.812	22.458
7	14.067	18.475	24.322
8	15.507	20.090	26.124
9	16.919	21.666	27.877
10	18.307	23.209	29.588